



Instructions

BRONCO CARGO FLOOR MULTI-MOUNT BRACKET

Thank you for purchasing the Bronco Cargo Floor Multi-Mount Bracket from AAL! We greatly appreciate your trust in our company. We take that purchase and your commitment to us very seriously. If you have any questions along the way, please don't hesitate to give us a call at 385.202.4188.

**** Please read these instructions thoroughly before starting this project ****

**** These instructions explain how to install the mounting bracket as well as how to mount lithium batteries, BCDC charger, and an ARB compressor ****

**** It is assumed that you have already purchased our compressor mounting plates, BCDC Charger, and or battery hold down brackets before purchasing this mounting bracket. These products contain all of the necessary hardware for installation into the bracket itself ****

Tools Required:

There is more than one tool for every job, but below is the list of tools we use for this installation.

- 6mm hex head key wrench
- 4mm allen key

What's Included:

Bronco Cargo Floor Multi-Mount Bracket Parts:



Main Bracket	1
--------------	---

Bronco Cargo Floor Multi-Mount Bracket Hardware:

N/A, All hardware is factory or part of another product.


BCDC Charger Installation

If you purchased our BCDC Redarc charger with the intention of installing it in this mounting bracket, Install by aligning the four corners of the charger with the 4 holes on the rectangular angled flange of the mounting bracket. Once aligned fasten using the (4) M6x14mm Button Head bolts and (4) M6 Lock Nuts as shown below.




Lithium Battery Installation


If you purchased the bracket with the intention of installing lithium batteries, it is assumed that you have purchased our battery hold down brackets as mentioned previously. Locate the following components from this product:



To install into the mounting bracket, find and set of stap slots along the width of the plate



Once you've decided where you would like to mount your batteries, place the rubber mats over the sections where you plan to install.



Insert the velcro strap through the front face of the bracket slot leading with the side opposite of the buckle and inserting with the rough side down. Pull through the underside and slide through the other slot.




Finally, place the batter(ies) on the matt(s) and fasten using the strap buckle. Make sure that the side of the strap with the knuckle is shorter than the other side so that when the strap is tightened, there is room to pull and secure it.




ARB Compressor Installation

If you intend on installing an ARB Compressor into this bracket, locate one of the two four hole slots located in the base of the bracket.




Place two mounting plates over the four holes with the long edge of each plate on the inside. Once aligned over the holes, fasten with the four corners on the slots on the bottom of the compressor placed over them. Once aligned, bolt through the bottom face using (4) M6x14mm Flat Head Bolts



Install the Mounting bracket Using Factory Bolts

The final step is to now install the mounting bracket into the vehicle. The first step in doing so is to ensure that the trunk cavity is clear. If you have a mass platform installed, you will need to remove the two main platform pieces. Once the cavity is clear. Remove the 4 highlighted factory hex plots on the outer brim of the cavity. Once removed, place the bracket directly inside and align the holes of the bracket with the holes of the bolts you just removed. Once aligned, fasten into place



Share Your Photos!

We take great pride in building our products and we hope that pride extends to you after installing your Spare Tire Platform. If you are able to share your photos online (Facebook and Instagram), please tag **@AmericanAdventureLab** in the photo. We would love to see how it turned out and give you some reciprocal attention in return.

Congrats! You're all done!

Thank you!

At American Adventure Lab, we strive to improve anywhere we can. If you experience any issues with this product or have any suggestions, please let us know.

If you have any questions or concerns, please don't hesitate to reach out to us at 385.202.4188 or via email at Support@erp.Adventurelab.com.

