



Instructions

FORD BRONCO BATTERY MONITOR BRACKET

Thank you for purchasing your Ford Bronco Battery Monitor Bracket from AAL! We greatly appreciate your trust in our company. We take that purchase and your commitment to us very seriously. If you have any questions along the way, please don't hesitate to give us a call at 385.202.4188.

****Please read all instructions carefully****

****It is assumed that you already have a battery monitor wired prior to starting this installation****


Tools Required:

- 6mm & 8mm star key wrench

What's included:

Parts

- Battery Monitor bracket (1):




Hardware

- N/A, All bolts necessary are factory and come pre-installed in the vehicle

Install

First locate the (2) front most factory bolts on the top of the back seat doors on either the passenger or driver side (whichever side in which you would like to install the bracket). Once located, remove the bolts with a star key wrench and place the holes of the brackets directly over them. Once aligned, bolt the bracket into place. The monitor can then be snapped into place through the front of the bracket.



Share Your Photos!

We take great pride in building our products and we hope that pride extends to you after installing your Ford Bronco Battery Monitor Bracket. If you are able to share your photos online (Facebook and Instagram), please tag **@AmericanAdventureLab**. We would love to see how it turned out and give you some reciprocal attention in return!

Congrats! You're all done!

Thank you!

At American Adventure Lab, we strive to improve anywhere we can. If you experience any issues with this product or have any suggestions, please let us know.

If you have any questions or concerns, please don't hesitate to reach out to us at 385.202.4188 or via email at Support@erp.adventurelab.com.

