



Instructions

JEEP JL BACK SEAT MOLLE PANELS

Thank you for purchasing your Jeep JL Back Seat Molle Panels from AAL! We greatly appreciate your trust in our company. We take that purchase and your commitment to us very seriously. If you have any questions along the way, please don't hesitate to give us a call at 385.202.4188.

****Please read all instructions carefully****

**** These panels only work for RUBICON style seats ****

Tools Required:

- Electric drill with phillips head attachment

What's included:

Parts

- Seat Panel (2):


Hardware

- 8 x $\frac{5}{8}$ " Pan Head threading Screws 8 (4 per panel)



Install

The installation of these panels involves the use of plastic threading screws so there are no pre-cut holes made for the alignment of the panel before bolting. Align the seat panels using the two tabs that sit on the top and sides of the panel. Using an electric drill for precision, screw in through the four holes of the panel with the position matching as close as possible to the orientation shown below. Use (4) screws for each panel and install identically on both sides.



Share Your Photos!

We take great pride in building our products and we hope that pride extends to you after installing your Jeep JL Back Seat Molle Panels. If you are able to share your photos online (Facebook and Instagram), please tag **@AmericanAdventureLab**. We would love to see how it turned out and give you some reciprocal attention in return!

Congrats! You're all done!

Thank you!

At American Adventure Lab, we strive to improve anywhere we can. If you experience any issues with this product or have any suggestions, please let us know.

If you have any questions or concerns, please don't hesitate to reach out to us at 385.202.4188 or via email at Support@erp.adventurelab.com.

