



INSTRUCTIONS

JEEP JT - BASE TEMPLATE

Thank you for purchasing your Jeep JT BASE Template from AAL! We greatly appreciate your trust in our company. We take that purchase and your commitment to us very seriously. If you have any questions along the way, please don't hesitate to give us a call at 385.202.4188.

Step 1 - Lay Out All Components (What's Included)

Components Included:

- (x4) #1 steel nut plates
- (x6) #2 steel nut plates
- (x2) #3 steel nut plates
- (x4) Horizontal Runner Spreaders
- (x1) Vertical Runner Spreader
- (x1) Long Steel Runner
- (x1) Medium Steel Runner
- (x2) Shorter Steel Runners

Hardware Included:

- (x24) M6x14 button head flange bolts
- (x20) M6x14 button head bolts
- (x60) Washers

Additional Materials We Recommend:


- 3M Double Sided Tape

Step 2 - Assemble the Jeep JT BASE Template

Using the provided hardware you will assemble the template as shown below before you do anything else. Using 3 washers and 1 M6x14 Button Head Bolt at each junction, you'll space out the rails so that the long runners sit at the bottom of the ridges in your JT. The long and medium rails will go toward the inside and the shorter rails will go toward the outside. Once that is done the runner spreaders supports will sit above the platform as shown in the following images.

Note: The threaded holes are the only ones that receive the bolts to hold the template together.

Also please note that you DO NOT have to drill out every single hole. It really depends on what drawers/fridge slides you'll be using or if you just want them as extra tie down points.




Long Runner

Medium Runner

**Horizontal
Runner
Spreaders**

**Vertical
Runner
Spreader**

Short Runners







When placing the template in the bed, make sure the long runner is resting against the front of the bed closest to the cab. This will locate the template front/rear. Center the template in the bed, and measure to make sure it is square before drilling any holes.

NOTE: To make sure the template doesn't move while you are drilling, drill the first 4 holes in the rear and place a bolt in them to secure them to their location.





Step 3 - Prep for the steel nut plates.

To do this we lay them out on top of the bed to get a better understanding of where everything goes. Each plate is numbered to help identify where they will sit underneath your bed.



To place the 2 middle, #1, nut plates you'll need to remove your spare tire for the install. You can reinstall the spare tire after the install.

The front 2, #2, nut plates you'll need to go in from the sides of the wheel wells to make it easier on yourself. If not there are some brackets underneath that are sometimes difficult to deal with.

Step 4 - Grab a friend (Installing the Steel Nut Plates)

When installing the steel nut plates you will need to have a friend up on top to install the bolts while you're down below holding up the steel nut plates. Put in the bolts first, this will make locating them from below much easier. You only need to do the first and last hole on each plate to hold them up. The other holes will be used to mount your drawers and fridge slides. Note: these bolts CAN be moved around to suit your needs, so long as there is at least one installed to keep the nutplate up against the bottom of the bed.

We recommend using blue loctite on all fasteners to make sure they don't rattle loose on the trails.

To make it easier we recommend getting some double sided 3M tape to put in the middle to help hold up the pieces.


Below are some examples of where the nut plates will be installed.



Tip - Use 3M double sided tape in the middle to make it easier.

Only need the first and last bolt to hold it up and use the middle bolts for drawers etc.













Step 5 - Show Off Your Handy Work

Thank you again for purchasing your JT BASE System from AAL. We greatly appreciate your support.

Please let us know what you think about the product and installation process. Also, if you have any feedback for us on our product, instructions or anything else please let us know at Support@erp.adventurelab.com as we are striving to be better in every aspect!

If you are so inclined, please share your installation photos with us online:

- Facebook - <https://www.facebook.com/AmericanAdventureLab>
- Instagram - <https://instagram.com/americanadventurelab>

